

CUSTOM COLOR SUBMITTAL FORM- REQUESTOR MAIL TO CONTACT IN SECTION 3

Please Read through and complete all lines. Agent questions reach out to Acuity CX Order Support. Customer questions reach out to Agent.

Today's Date	
Order Number	
Date Needed	
Project name	
If yes, paint vendor name	
If yes, their part number	

If this is a request for Vitraccoat match please answer the below questions

Is this a pole?	yes	no		
Is fixture for match installed inside or outside?	Inside	Outside		
Is it with 50 mles of salt water?	yes	no		
Finish of matching sample chip?	smooth	textured	same as chip	
Gloss level of matching sample chip?	matte	semi gloss	gloss	same as chip
Is the finish a metallic finish?	yes	no		

Requestor submitting form (Agent)

1	Requestor Name:	
	Company:	
	Address:	
	City, State & zip code :	Phone:

Name and address of person to approve sample chip

IF NO AUTHORIZATION NEEDED TO APPROVE MATCHING SAMPLE CHIP REQUESTOR INITIAL AND DATE BOX TO RIGHT

2	Name:	
	Company:	
	Address:	
	City, State & zip code :	Phone:

CCC Contact for return of matching sample chip for safe keeping

3	Company:	Acuity Brands Lighting
	c/o	c/o John Casimates
	Address:	56 Kristopher Dr
	City, State & zip code :	Yardville, NJ 08620

Vitracoat Lab Work Request to be completed by Vitracoat	CUSTOMER:	Acuity Brands Lighting	LAB #	
	REP NAME:	Hector Citron	DATE:	
	REQUEST:	Match	DATE NEEDED:	
	POWDER MANADATORY?	yes	no	
	COLOR NAME:			
	USAGE (lbs/year):	n/a		
	STANDARD:	Competitor's Panel		
	CHEMISTRY:	Polyester TGIC		
	FINISH:	Same as panel or powder		
	SUBSTRATE:	CR		
	PRETREATMENT:	Zinc Ph		
	APPLICATION METHOD:	Corona		
	APPLICATION MODE:	Spray-to-Waste		
	LIGHT:	D65 (Day Light)		
	BAKE CYCLE:		Time (min):	Over Set (°F):
			Dwell Time (min):	Part Temp (°F):
	FILM THICKNESS (mil):	2.0-3.0	ANGLE:	60
	SALT SPRAY (HOURS):	500	FLEXIBILITY:	32%
	IMPACT (lb/in):	120	QUV(HOURS):	500
	ENCLOSED:	Panel	HARDNESS:	2H
SEND:	Powder (lbs):	5	Panels: 5	

Panel, MSDS and First Piece Report are always sent.

NOTES: