

SEQUENCE OF OPERATION:

LIGHTS

- ALL LIGHTS ARE DIMMABLE
- ALL FIXTURES CONTROLLED TOGETHER OR INDEPENDENTLY
- MAXIMUM LEVEL CAN BE LIMITED TO 80%
- OPTIONAL AUTOMATIC LUMEN COMPENSATION

OCCUPANCY


- LIGHTS AUTOMATICALLY GO TO FULL BRIGHT WHEN OCCUPIED
- LIGHTS AUTOMATICALLY TURN OFF OR DROP TO OPTIONAL LOW DIM SETTING WHEN SPACE BECOMES VACANT

MANUAL

- MASTER ON/OFF CONTROL OF ENTIRE SPACE


ADDITIONAL OPTIONS:

- SURFACE OR RECESSED MOUNT SENSORS ALSO AVAILABLE
- SPACE / ZONE CAN BE CONNECTED TO nLIGHT BACKBONE TO ENABLE NETWORK CONTROL INCLUDING TIME BASED CONTROLS AND INTEGRATION WITH BUILDING MANAGEMENT SYSTEMS.



BILL OF MATERIAL		
QTY	PRODUCT #	DESCRIPTION
7	SEE NOTE	nLIGHT AIR ENABLED FIXTURES
2	SEE NOTE	nLIGHT AIR ENABLED FIXTURES
3	rPODB G2	ON/OFF WALL POD

SUPPORTS THE FOLLOWING REQUIREMENTS:



Note: Contact your local lighting agent for more information on nLight enabled fixtures