

SCHOOL LIGHTING AND LIGHTING CONTROLS SOLUTIONS





TABLE OF CONTENTS

CLASSROOM

GYM

CAFETERIA & MULTI-PURPOSE SPACE

BREAKROOM

OFFICE

RESTROOM

LOCKER ROOM

OUTDOOR

LIBRARY

HALLWAYS & STAIRWELLS

INNOVATIONS TAILORED TO YOUR SCHOOL

CLASSROOM


Providing superior school lighting and lighting control solutions to address code compliance, visual comfort and adaptable spaces in all K through 12 education facilities.
















Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Want to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|---------|---|---------|--|
| Panel |   | CPX | LED Flat Panel by Lithonia Lighting® |
| |   | CPANL | LED Switchable Lumen Flat Panel by Lithonia Lighting |
| |  | EPANL | Fully-Luminous LED Flat Panel by Lithonia Lighting |
| Troffer |   | GTL | General-Purpose Recessed LED Troffer by Lithonia Lighting |
| |   | BLC | Center-Basket LED Troffer by Lithonia Lighting |
| |  | BLT | Low-Profile Recessed LED Troffer by Lithonia Lighting |
| |  | VTL | LED Volumetric Troffer by Lithonia Lighting |
| |  | ENVEX™ | High-Performance Recessed Ambient Troffer by Lithonia Lighting |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|----------|---|------------------|--|
| Linear |  | Lithonia® Linear | 8ft and 16ft Suspended Linear Fixture by Lithonia Lighting |
| |  | Grad | Suspended LED Luminaire by Lithonia Lighting |
| |  | Slot | Recessed or Suspended Linear Luminaire by Mark Architectural Lighting™ |
| |  | Cerra | Suspended or surface mount linear LED luminaire by Peerless® |
| |  | Renna™ | Rectilinear LED Suspended Luminaire by Peerless |
| Retrofit |  | LBK | LED Light Bar Kit by Lithonia Lighting |
| |  | BLTR | LED Relight Assembly Kit by Lithonia Lighting |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|-----------|---|-------------------------------------|--|
| Emergency |   | LHQM LED | Quantum® LED Exit-Unit Combo by Lithonia Lighting |
| |   | LQM | Quantum LED Exit Sign by Lithonia Lighting |
| |   | ELM2L | Quantum LED Adjustable Optics 220 Lumens Emergency Light by Lithonia Lighting |
| |  | ELMRE | Quantum LED Adjustable Emergency Remote Light Head by Lithonia Lighting |
| |  | IIS3P Three-Phase Central Inverters | 4.8kVA to 50kVA Three Phase Inverter Systems by IOTA® |
| |  | IIS Single Phase Central Inverters | Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA |
| |   | ILB CP10 Emergency Driver | 10 Watt Constant Power LED Emergency Driver by IOTA |
| |  | ETS DR Emergency Control Device | Emergency Control Device for 0-10V Dimming Applications by IOTA |
| |  | ETS20 DR Emergency Control | Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA |
| Skylights |   | SLFTL | LightFlex™ Tubular Tunable-White LED Suspended-Ceiling System by Sunoptics® |

GYM LIGHTING






Recommended solutions to address your gym lighting needs for athletic activities, school-wide meetings, performances and other events. Embedded or networked controls allow you to establish zones and easily set the scene for any function in your K through 12 gymnasium.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Looking to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|----------|---|------------|--|
| Highbay |   | JEBL | LED High Bay by Lithonia Lighting |
| |   | IBE | LED High Bay by Lithonia Lighting |
| |   | JCBL | LED High Bay by Lithonia Lighting |
| |  | IBG | Configurable LED High Bay by Lithonia Lighting |
| |  | XIB | LED by Lithonia Lighting |
| Skylight |  | ESFP Guard | External Skylight Fall-Protection Guard by Sunoptics |
| |  | SIG | Signature™ Series Commercial Prismatic Dome Skylights by Sunoptics |
| |  | PY | Pyramid Lens Skylight by Sunoptics |
| |  | DHP | Double Hip Lens Skylight by Sunoptics |
| |  | GUARD | Skylight Internal Clip-On Safety Guards by Sunoptics |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|------------------|---|-------------------------------------|--|
| Emergency |  | WLTE | Wet Location Exit Sign by Lithonia Lighting |
| |  | WLTC Emergency Light Combo | Wet Location Emergency LED Exit Combination Light by Lithonia Lighting |
| |  | IIS3P Three-Phase Central Inverters | 4.8kVA to 50kVA Three Phase Inverter Systems by IOTA |
| |  | IIS Single Phase Central Inverters | Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA |
| |  | INDL | Indura® Industrial LED Wet Location Emergency Light by Lithonia Lighting |
| |  | ILBHI | 20 Watt Emergency LED Driver for 347-480 VAC Luminaires with 55-200 VDC Non-Class 2 LED Loads by IOTA |
| |  | ETS20 DR Emergency Control Device | Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA |
| |  | ETS DR Emergency Control Device | Emergency Control Device for 0-10V Dimming Applications by IOTA |
| Vandal Resistant |  | VPF12 Linear, Single Mount | 12" Wide Vision Vandal Resistant LED Fixture. Available in three fixture lengths for Ceiling, Pendant or Wall Mount by Luminaire LED |




CAFETERIA & MULTI-PURPOSE SPACE










Recommended solutions to provide general ambient and flexible lighting for school cafeterias and multipurpose rooms. Embedded and networked controls address code requirements, including occupancy sensing or schedule-based control and manual override, and create zones for specific activity light settings. You can also integrate with audio/visual and theatrical controls.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Want to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|---------|---|------------------|---|
| Panel |  | CPX | LED Flat Panel by Lithonia Lighting |
| |  | CPANL | LED Switchable Lumen Flat Panel by Lithonia Lighting |
| |  | EPANL | Fully-Luminous LED Flat Panel by Lithonia Lighting |
| Troffer |  | BLC | Center-Basket LED Troffer by Lithonia Lighting |
| |  | BLT | Low-Profile Recessed LED Troffer by Lithonia Lighting |
| |  | ENVEX™ | High-Performance Recessed Ambient Troffer by Lithonia Lighting |
| Linear |  | Lithonia® Linear | 8ft and 16ft Suspended Linear Fixture by Lithonia Lighting |
| |  | Grad | Suspended LED Luminaire by Lithonia Lighting |
| |  | Cerra | Suspended or surface mount linear LED luminaire by Peerless |
| |  | Slot | Recessed or Suspended Linear Luminaire by Mark Architectural Lighting |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|------------------|---|-------------------------------------|--|
| Retrofit |  | LBK | LED Light Bar Kit by Lithonia Lighting |
| |  | BLTR | LED Relight Assembly Kit by Lithonia Lighting |
| Emergency – Exit |  <small>CS</small> | LHQM LED | Quantum LED Exit-Unit Combo by Lithonia Lighting |
| |  <small>CS</small> | LQM | Quantum LED Exit Sign by Lithonia Lighting |
| |  | ELM6L | Quantum LED Adjustable Optics 1100 Lumens Emergency Light by Lithonia Lighting |
| |  | ELMRE | Quantum LED Adjustable Emergency Remote Light Head by Lithonia Lighting |
| |  | IIS3P Three-Phase Central Inverters | 4.8kVA to 50kVA Three Phase Inverter Systems by IOTA |
| |  <small>CS</small> | ILB CP10 Emergency Driver | 10 Watt Constant Power LED Emergency Driver by IOTA |
| |  | ETS DR Emergency Control Device | Emergency Control Device for 0-10V Dimming Applications by IOTA |
| |  | ETS20 DR Emergency Control | Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA |
| Skylights |  | PY | Pyramid Lens Skylight by Sunoptics |
| |  | DHP | Double Hip Lens Skylight by Sunoptics |
| |  | GUARD | Sunoptics Skylight Internal Clip-On Safety Guards by Sunoptics |
| Vandal Resistant |  | VPF8 Linear, Single Mount | 8" Wide Vision Vandal Resistant LED Fixture. Available in three fixture lengths for Ceiling, Pendant or Wall Mount by Luminaire LED |
| |  | VPF12 Linear, Single Mount | 12" Wide Vision Vandal Resistant LED Fixture. Available in three fixture lengths for Ceiling, Pendant or Wall Mount by Luminaire LED |


BREAKROOMS












Recommended solutions to address your needs for school breakroom lighting and other general use spaces. Embedded and networked controls address code requirements, including occupancy sensing or schedule-based control, daylight harvesting, dimming, plug-load control, and manual override.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Want to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|----------|---|------------------|---|
| Panels |   | CPX | LED Flat Panel by Lithonia Lighting |
| |   | CPANL | LED Switchable Lumen Flat Panel by Lithonia Lighting |
| |  | EPANL | Fully-Luminous LED Flat Panel by Lithonia Lighting |
| Troffers |   | GTL | General-Purpose Recessed LED Troffer by Lithonia Lighting |
| |   | BLC | Center-Basket LED Troffer by Lithonia Lighting |
| |  | BLT | Low-Profile Recessed LED Troffer by Lithonia Lighting |
| |  | VTL | LED Volumetric Troffer by Lithonia Lighting |
| |  | ENVEX™ | High-Performance Recessed Ambient Troffer by Lithonia Lighting |
| Linear |  | Lithonia® Linear | 8ft and 16ft Suspended Linear Fixture by Lithonia Lighting |
| |  | Grad | Suspended LED Luminaire by Lithonia Lighting |
| |  | Cerra | Suspended or Surface Mount Linear LED Luminaire by Peerless |
| |   | Slot | Recessed or Suspended Linear Luminaire by Mark Architectural Lighting |
| |  | Olessence™ | Direct and Indirect Linear Suspended Fixture by Peerless |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|------------------|--|-------------------------------------|--|
| Retrofit |  | LBK | LED Light Bar Kit by Lithonia Lighting |
| |  | LDNRV | Commercial Retrofit Downlight by Lithonia Lighting |
| |  | BLTR | LED Relight Assembly Kit by Lithonia Lighting |
| Emergency – Exit |  CS | EU2L | LED Emergency Light by Lithonia Lighting |
| |  CS | ECC | LED Emergency Combo Light by Lithonia Lighting |
| |  | ERE | LED Emergency Remote Light Head by Lithonia Lighting |
| |  CS | EXR & EXG | LED Thermoplastic Exit Sign, Red and Green with Black Housing by Lithonia Lighting |
| |  | IIS3P Three-Phase Central Inverters | 4.8kVA to 50kVA Three Phase Inverter Systems by IOTA |
| |  CS | ILB CP10 Emergency Driver | 10 Watt Constant Power LED Emergency Driver by IOTA |
| |  | ETS DR Emergency Control Device | Emergency Control Device for 0-10V Dimming Applications by IOTA |
| |  | ETS20 DR Emergency Control | Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA |










OFFICE

Recommended solutions to address your lighting needs for your school office. Embedded and networked controls address code requirements, including occupancy sensing or schedule-based control and manual override, daylight harvesting, dimming, and plug load control.










Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Want to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|----------|---|------------------|---|
| Panels |   | CPX | LED Flat Panel by Lithonia Lighting |
| |   | CPANL | LED Switchable Lumen Flat Panel by Lithonia Lighting |
| |  | EPANL | Fully-Luminous LED Flat Panel by Lithonia Lighting |
| Troffers |   | GTL | General-Purpose Recessed LED Troffer by Lithonia Lighting |
| |   | BLC | Center-Basket LED Troffer by Lithonia Lighting |
| |  | BLT | Low-Profile Recessed LED Troffer by Lithonia Lighting |
| |  | VTL | LED Volumetric Troffer by Lithonia Lighting |
| |  | ENVEX™ | High-Performance Recessed Ambient Troffer by Lithonia Lighting |
| Linear |  | Lithonia® Linear | 8ft and 16ft Suspended Linear Fixture by Lithonia Lighting |
| |  | Grad | Suspended LED Luminaire by Lithonia Lighting |
| |  | Cerra | Suspended or Surface Mount Linear LED Luminaire by Peerless |
| |   | Slot | Recessed or Suspended Linear Luminaire by Mark Architectural Lighting |
| |  | Olessence™ | Direct and Indirect Linear Suspended Fixture by Peerless |

Emergency – Exit

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|------------------|---|-------------------------------------|--|
| Emergency – Exit |  <small>CS</small> | LHQM LED | Quantum LED Exit-Unit Combo by Lithonia Lighting |
| |  <small>CS</small> | LQM | Quantum LED Exit Sign by Lithonia Lighting |
| |  <small>CS</small> | ELM2L | Quantum LED Adjustable Optics 220 Lumens Emergency Light by Lithonia Lighting |
| |  | ELMRE | Quantum LED Adjustable Emergency Remote Light Head by Lithonia Lighting |
| |  | IIS Single Phase Central Inverters | Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA |
| |  | IIS3P Three-Phase Central Inverters | 4.8kVA to 50kVA Three Phase Inverter Systems by IOTA |
| |  <small>CS</small> | ILB CP10 Emergency Driver | 10 Watt Constant Power LED Emergency Driver by IOTA |
| |  | ETS DR Emergency Control Device | Emergency Control Device for 0-10V Dimming Applications by IOTA |
| |  | ETS20 DR Emergency Control | Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA |



























SCHOOL RESTROOMS














Recommended solutions for school restrooms to provide general ambient lighting for your K through 12 restroom facilities. Embedded and networked controls address code requirements, including occupancy sensing or schedule-based control and manual override.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Want to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|-------------|---|---------|--|
| Downlight |  | LDN | New Construction Commercial Downlight, Retrofit and Cylinders by Lithonia Lighting |
| |  | EVO® | Recessed or Suspended Downlight by Gotham® |
| Panel |   | CPX | LED Flat Panel by Lithonia Lighting |
| |   | CPANL | LED Switchable Lumen Flat Panel by Lithonia Lighting |
| |  | EPANL | Fully-Luminous LED Flat Panel by Lithonia Lighting |
| Troffer |   | BLC | Center-Basket LED Troffer by Lithonia Lighting |
| |  | BLT | Low-Profile Recessed LED Troffer by Lithonia Lighting |
| |  | ENVEX™ | High-Performance Recessed Ambient Troffer by Lithonia Lighting |
| Wraparound |   | SBL | Configurable LED Wraparound Series by Lithonia Lighting |
| |   | LBL | Configurable LED Wraparound Series by Lithonia Lighting |
| |   | FMLWL | Low-Profile LED Wraparound by Lithonia Lighting |
| |   | FML4W | LED Wide-Body Housing Wraparound by Lithonia Lighting |
| |   | BLWP | Low-Profile LED Wraparound by Lithonia Lighting |
| Strip Light |   | CLX | Linear LED Strip Light by Lithonia Lighting |
| Linear |  | SPRL | Recessed or Semi-Recessed Perimeter Wall Wash LED by Lithonia Lighting |
| |   | Slot | Recessed or Suspended Linear Luminaire by Mark Architectural Lighting |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|------------------|---|-------------------------------------|--|
| Emergency – Exit |   | EU2L | LED Emergency Light by Lithonia Lighting |
| |   | ECC | LED Emergency Combo Light by Lithonia Lighting |
| |  | ERE | LED Emergency Remote Light Head by Lithonia Lighting |
| |   | EXR & EXG | LED Thermoplastic Exit Sign, Red and Green with Black Housing by Lithonia Lighting |
| |  | IIS Single Phase Central Inverters | Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA |
| |  | IIS3P Three-Phase Central Inverters | 4.8kVA to 50kVA Three Phase Inverter Systems by IOTA |
| |   | ILB CP10 Emergency Driver | 10 Watt Constant Power LED Emergency Driver by IOTA |
| |  | ETS DR Emergency Control Device | Emergency Control Device for 0-10V Dimming Applications by IOTA |
| |  | ETS20 DR Emergency Control | Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA |




























LOCKER ROOM















Recommended solutions for your K through 12 locker room lighting needs. Designed for harsh environments, our wet-rated light fixtures with NEMA® IP66 rated enclosures are also vandal resistant. Embedded and networked controls allow you to address occupancy sensing and schedule-based control.



Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Want to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|------------|---|-----------|--|
| Downlight |  | LDN | New Construction Commercial Downlight, Retrofit and Cylinders by Lithonia Lighting |
| |  | ICO | Incito 2" LED Square Lensed Downlight for Shower and Wet Location Applications by Gotham |
| |   | EVO® | Recessed or Suspended Downlight by Gotham |
| Panel |   | CPX | LED Flat Panel by Lithonia Lighting |
| |   | CPANL | LED Switchable Lumen Flat Panel by Lithonia Lighting |
| |  | EPANL | Fully-Luminous LED Flat Panel by Lithonia Lighting |
| Troffer |   | BLC | Center-Basket LED Troffer by Lithonia Lighting |
| |  | BLT | Low-Profile Recessed LED Troffer by Lithonia Lighting |
| |  | ENVEX™ | High-Performance Recessed Ambient Troffer by Lithonia Lighting |
| Wraparound |   | SBL | Configurable LED Wraparound Series by Lithonia Lighting |
| |   | LBL | Configurable LED Wraparound Series by Lithonia Lighting |
| |   | FMLWL | Low-Profile LED Wraparound by Lithonia Lighting |
| |  | DMW | Wraparound by Lithonia Lighting |
| |   | FML4W | LED Wide-Body Housing Wraparound by Lithonia Lighting |
| |   | BLWP | Low-Profile LED Wraparound by Lithonia Lighting |
| Linear |   | CLX | Linear LED Strip Light by Lithonia Lighting |
| |   | Mark Slot | Recessed or Suspended Linear Luminaire by Mark Architectural Lighting |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|--------------------|---|-------------------------------------|--|
| Retrofit |  | LBK | LED Light Bar Kit by Lithonia Lighting |
| |  | LDNRV | Commercial Retrofit Downlight by Lithonia Lighting |
| |  | BLTR | LED Relight Assembly Kit by Lithonia Lighting |
| |  | LBR | Commercial Retrofit Downlight by Lithonia Lighting |
| Emergency Lighting |   | ELM2L | Quantum LED Adjustable Optics 220 Lumens Emergency Light by Lithonia Lighting |
| |  | WLTE | Wet Location Exit Sign by Lithonia Lighting |
| |  | WLTC Emergency Light Combo | Wet Location Emergency LED Exit Combination Light by Lithonia Lighting |
| |  | IIS Single Phase Central Inverters | Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA |
| |  | IIS3P Three-Phase Central Inverters | 4.8kVA to 50kVA Three Phase Inverter Systems by IOTA |
| |   | ILB CP10 Emergency Driver | 10 Watt Constant Power LED Emergency Driver by IOTA |
| |  | ETS DR Emergency Control Device | Emergency Control Device for 0-10V Dimming Applications by IOTA |
| |  | ETS20 DR Emergency Control | Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|------------------|---|----------------------------|---|
| Vandal Resistant |  | VPF4 Linear, Single Mount | 4" Wide Vision Vandal Resistant Fixture. Available in four fixture lengths in standard LED CCTs or Amber. Ceiling, Pendant or Wall Mount by Luminaire LED. |
| |  | VPF8 Linear, Single Mount | 8" Wide Vision Vandal Resistant LED Fixture. Available in three fixture lengths for Ceiling, Pendant or Wall Mount by Luminaire LED. |
| |  | VPF12 Linear, Single Mount | 12" Wide Vision Vandal Resistant LED Fixture. Available in three fixture lengths for Ceiling, Pendant or Wall Mount by Luminaire LED. |
| |  | CLF7 Linear, Single Mount | 7" Wide Vertex Vandal Resistant LED Fixture. Available in four fixture lengths for Ceiling or Wall Mount by Luminaire LED. |
| |  | CLF11 Linear, Single Mount | 11" Wide Vertex Vandal Resistant LED Fixture. Available in three fixture lengths for Ceiling or Wall Mount by Luminaire LED. |

OUTDOOR

Recommended solutions to provide general outdoor school lighting and safety in spaces such as playgrounds, outdoor eating areas, parking lots, parking garages and more. Embedded and networked controls to address schedule or daylight-based control and manual override.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Want to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|--------------------|---|-----------------------------------|--|
| Wall Mount |  | OLW | High-Performance LED Wall Pack by Lithonia Lighting |
| |  | WPX | Wall Pack Luminaires by Lithonia Lighting |
| |  | DMW | Fiberglass Housing, Wet Location Wraparound by Lithonia Lighting |
| |  | DSXW | Outdoor Wall Pack by Lithonia Lighting |
| |  | WDGE | Architectural Wall-Mount Luminaire by Lithonia Lighting |
| |  | ARC | Visually Comfortable wall-Mounted Luminaire by Lithonia Lighting |
| Floodlight |  | TFX | LED Floodlight by Lithonia Lighting |
| |  | DSXF | LED Floodlight by Lithonia Lighting |
| Area & Site Light |  | RSX | Highly Configurable Outdoor Area Lighting Solution by Lithonia Lighting |
| |  | DSX | LED Area Luminaire by Lithonia Lighting |
| |  | VCPG | Visually Comfortable Luminaire Ideal for Parking Garages and Canopies by Lithonia Lighting |
| |  | VCPGX | Visually Comfortable Luminaire Ideal for Parking Garages and Canopies by Lithonia Lighting |
| |  | RADEAN™ | LED Pedestrian Area Light by Lithonia Lighting |
| Emergency Lighting |  | EMLRW Emergency Remote Light Head | Quantum® LED Adjustable Emergency Wet Location Remote Light Head by Lithonia Lighting |
| |  | IIS 125 SM Emergency Inverter | 125 Watt Emergency Inverter for Surface Mounting by IOTA |
| |  | AFF Emergency Light | Affinity® Architectural Outdoor LED Emergency Light by Lithonia Lighting |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|------------------|---|---------------------------|--|
| Vandal Resistant |  | BLD Wallpack | The Blade Series LED Vandal Resistant High Performance with Full Cut-Off Optics for Unobtrusive Illumination or Path of Egress by Luminaire LED. |
| |  | AEL Wallpack | Vandal Resistant Architectural Full Cut-Off Path of Egress LED Luminaire. Standard LED CCTs or Amber by Luminaire LED. |
| |  | SPC8 Sconce, Single Mount | 8" Wide Sonar Vandal Resistant LED Fixture. Available in five lengths for Ceiling, Pendant or Wall Mount by Luminaire LED. |

























LIBRARY













Recommended solutions to address your school library lighting needs. Embedded and networked controls to address occupancy sensing or schedule-based control, dimming, and manual override.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Want to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|-----------|---|------------------|--|
| Downlight |  | LDN | New Construction Commercial Downlight, Retrofit and Cylinders by Lithonia Lighting |
| Panel |   | CPX | LED Flat Panel by Lithonia Lighting |
| |   | CPANL | LED Switchable Lumen Flat Panel by Lithonia Lighting |
| Troffer |   | BLC | Center-Basket LED Troffer by Lithonia Lighting |
| |   | BLT | Low-Profile Recessed LED Troffer by Lithonia Lighting |
| |   | WHSPR | LED Architectural Troffer by Mark Architectural Lighting |
| |  | ENVEX™ | High-Performance Recessed Ambient Troffer by Lithonia Lighting |
| Linear |  | Lithonia® Linear | 8ft and 16ft Suspended Linear Fixture by Lithonia Lighting |
| |  | Cerra | Suspended or Surface Mount Linear LED Luminaire by Peerless |
| |   | Renna™ | Rectilinear LED Suspended Luminaire by Peerless |
| |   | Slot | Recessed or Suspended Linear Luminaire by Mark Architectural Lighting |
| |   | MARKCOVE | Cove Extrusion and Luminaire by Mark Architectural Lighting |
| Retrofit |  | LBK | LED Light Bar Kit by Lithonia Lighting |
| |  | LDNRV | Commercial Retrofit Downlight by Lithonia Lighting |
| |  | LBR | Lithonia Basics Retrofit Downlight by Lithonia Lighting |
| |  | BLTR | LED Relight Assembly Kit by Lithonia Lighting |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|--------------------|--|-------------------------------------|--|
| Skylights |  | SIG | Signature™ Series Commercial Prismatic Dome Skylights by Sunoptics |
| |  | PY | Pyramid Lens Skylight by Sunoptics |
| |  | DHP | Double Hip Lens Skylight by Sunoptics |
| Emergency Lighting |  CS | LHQM LED | Quantum LED Exit-Unit Combo by Lithonia Lighting |
| |  CS | LQM | Quantum LED Exit Sign by Lithonia Lighting |
| |  | ELM6L | Quantum LED Adjustable Optics 1100 Lumens Emergency Light by Lithonia Lighting |
| |  | ELMRE | Quantum LED Adjustable Emergency Remote Light Head by Lithonia Lighting |
| |  | IIS3P Three-Phase Central Inverters | 4.8kVA to 50kVA Three Phase Inverter Systems by IOTA |
| |  | IIS Single Phase Central Inverters | Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA |
| |  CS | ILB CP10 Emergency Driver | 10 Watt Constant Power LED Emergency Driver by IOTA |
| |  | ETS20 DR Emergency Control | Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA |
| |  | ETS DR Emergency Control Device | Emergency Control Device for 0-10V Dimming Applications by IOTA |



HALLWAYS & STAIRWELLS
















Recommended solutions to address your K through 12 school hallway and stairwell lighting needs. Embedded and networked controls address code requirements, including occupancy sensing or schedule-based control and manual override.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.

Want to incorporate tunable white into your project? Look for the tunable white icon to find products with this feature.



| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|-------------|---|---------|--|
| Downlight |  | EVO® | Recessed or Suspended Downlight by Gotham |
| |  | ICO | Recessed or Suspended Downlight by Gotham |
| |  | LDN | New Construction Commercial Downlight, Retrofit and Cylinders by Lithonia Lighting |
| Panel |  | CPX | LED Flat Panel by Lithonia Lighting |
| |  | CPANL | LED Switchable Lumen Flat Panel by Lithonia Lighting |
| |  | EPANL | Fully-Luminous LED Flat Panel by Lithonia Lighting |
| Troffer |  | BLC | Center-Basket LED Troffer by Lithonia Lighting |
| |  | BLT | Low-Profile Recessed LED Troffer by Lithonia Lighting |
| |  | ENVEX™ | High-Performance Recessed Ambient Troffer by Lithonia Lighting |
| Wraparounds |  | BLWP | Low-Profile LED Wraparound by Lithonia Lighting |
| |  | WL | WL LED Wall Surface Mount Bracket by Lithonia Lighting |
| Retrofit |  | LBK | LED Light Bar Kit by Lithonia Lighting |
| |  | LDNRV | Commercial Retrofit Downlight by Lithonia Lighting |
| |  | LBR | Lithonia Basics Retrofit Downlight by Lithonia Lighting |
| |  | BLTR | LED Relight Assembly Kit by Lithonia Lighting |

| TYPE | FIXTURE | PRODUCT | DESCRIPTION |
|--------------------|--|-------------------------------------|--|
| Skylights |  | SIG | Signature™ Series Commercial Prismatic Dome Skylights by Sunoptics |
| |  | PY | Pyramid Lens Skylight by Sunoptics |
| |  | DHP | Double Hip Lens Skylight by Sunoptics |
| Emergency Lighting |  CS | EU2C | Dual LED Lamp Head Emergency Light by Lithonia Lighting |
| |  CS | ECC | LED Emergency Combo Light by Lithonia Lighting |
| |  | ERE | LED Emergency Remote Light Head by Lithonia Lighting |
| |  CS | EXR & EXG | LED Thermoplastic Exit Sign, Red and Green with Black Housing by Lithonia Lighting |
| |  | IIS Single Phase Central Inverters | Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA |
| |  | IIS3P Three-Phase Central Inverters | 4.8kVA to 50kVA Three Phase Inverter Systems by IOTA |
| |  CS | ILB CP10 Emergency Driver | 10 Watt Constant Power LED Emergency Driver by IOTA |
| |  | ETS DR Emergency Control Device | Emergency Control Device for 0-10V Dimming Applications by IOTA |
| |  | ETS20 DR Emergency Control | Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA |
| Vandal Resistant |  | TSL9 Surface Light, Stairwell | 9" Wide Fixture Combines Extreme Vandal Resistance with Specific Optics and Controls for Stairways by Luminaire LED. |
| |  | ESF18 Surface, Stairwell | The Endeavor LED Vandal Resistant Optics and Controls are Specifically Designed for Use in Stairwells by Luminaire LED. |
| |  | VPF8 Linear, Single Mount | 8" Wide Vision Vandal Resistant LED Fixture. Available in three fixture lengths for Ceiling, Pendant or Wall Mount by Luminaire LED. |

INNOVATIONS TAILORED TO YOUR SCHOOL



SCHOOL LIGHTING CONTROLS SOLUTIONS

Choose nLight® or SensorSwitch™ for your K through 12 school lighting control solutions. Scalable lighting controls ranging from standalone to embedded to networked allow you to meet your exact project needs and budget requirements. Wired and wireless options are easy to specify, install and use.

TUNABLE WHITE FOR CLASSROOMS

Unlock new possibilities of circadian lighting to bring your vision of the space to life and enhance the aesthetic design of your school with Tunable White. The Tunable White dynamic feature fosters a sense of passage of time, or circadian rhythm, and enables the creation of scenes and modes that can be aligned with key activities that require students and faculty to be more focused, relaxed or energetic.



VISUAL COMFORT

A well-designed visual environment can effectively foster a better learning experience. Glare can be a problem in the classroom and cause painful eyestrain, which contributes to headaches, decreased visual efficiency and increased frequency of errors. Combine indirect and direct lighting solutions, to create a soft and comfortable light that helps learning, while adding dimensions and highlighting people and objects in a classroom

FLEXIBLE AND ADAPTABLE SPACES

Spaces in your schools are constantly shifting and adapting to meet different needs, and your lighting solutions should be able as flexible. By creating different zones through lighting controls, you can help set the scene in any space, even if your cafeteria is doubling as a theater for the afternoon. Our lights can easily transform from a general ambient solution to presentation lighting, and more.



Visit our webpages at www.acuitybrands.com/school