

WAREHOUSE LIGHTING AND LIGHTING CONTROLS SOLUTIONS





TABLE OF CONTENTS

GENERAL STORAGE

LIGHT MANUFACTURING WAREHOUSE

HEAVY DUTY MANUFACTURING

EXTERIOR WAREHOUSE

WAREHOUSE BREAKROOM

WAREHOUSE BATHROOMS

WAREHOUSE OFFICE
















GENERAL STORAGE











Recommended solutions to address your general storage lighting needs for warehouse environments with minimal dust and humidity and moderate ambient temperatures ranging from 0°C to 45°C. Embedded and networked controls to address independent aisle occupancy sensing, daylight harvesting, and zone control.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.



TYPE	FIXTURE	PRODUCT	DESCRIPTION
High Bays		IBG	Configurable LED High Bay for High Mounting Heights by Lithonia Lighting®
		IBE	LED High Bay for General Open Spaces by Lithonia Lighting
		JEBL	Round LED High Bay for General Open Spaces and Wet Locations by Lithonia Lighting
		JCBL	LED High Bay for Mixed-Use Spaces by Lithonia Lighting
Vapor Tights		XVML	Vapor-Tight LED Fixture by Lithonia Lighting
		FEM	Enclosed-and-Gasketed General Purpose Luminaire by Lithonia Lighting

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Strip Lights	 	MNSL	LED Strip Light by Lithonia Lighting
	 	CDS	Contractor LED Dual Strip Light by Lithonia Lighting
	 	CSS	Contractor LED Single Strip Light by Lithonia Lighting
		CLX	Linear LED Strip Light by Lithonia Lighting
Retrofit		UFITR	LED Retrofit Kit by Lithonia Lighting
		LBK	LED Light Bar Kit by Lithonia Lighting
Skylights		SIG	Signature™ Series Commercial Prismatic Dome Skylights by Sunoptics®
		PY	Pyramid Lens Skylight by Sunoptics
		DHP	Double Hip Lens Skylight by Sunoptics
		GUARD	Sunoptics Skylight Internal Clip-On Safety Guards by Sunoptics
		ESFP Guard	External Skylight Fall-Protection Guard by Sunoptics
		SVT2 Smoke Vent	UL Listed & FM Approved Industrial Smoke Vent by Sunoptics










TYPE	FIXTURE	PRODUCT	DESCRIPTION
Emergency		WLTE	Wet Location Exit Sign by Lithonia Lighting
		WLTC	Wet Location Emergency LED Exit Combination Light by Lithonia Lighting
		IIS Single Phase Central Inverters	Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA®
		IIS3P Three-Phase Central Inverters	4.8kVA to 50kVA Three Phase Inverter Systems by IOTA
		ETS20 DR Emergency Control Device	Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA
		ETS DR Emergency Control Device	Emergency Control Device for 0-10V Dimming Applications by IOTA
		ILBHI CP30	30 Watt Emergency LED Driver for 347-480 VAC Luminaires with 55-250 VDC Non-Class 2 LED Loads by IOTA
		ILBHI CP30	20 Watt Emergency LED Driver for 347-480 VAC Luminaires with 55-200 VDC Non-Class 2 LED Loads by IOTA
		INDRE	Indura® Industrial LED Wet Location Emergency Remote Light Head by IOTA
		INDL	Indura Industrial LED Wet Location Emergency Light by IOTA














LIGHT MANUFACTURING WAREHOUSE











Recommended solutions to address your light manufacturing warehouse lighting needs for environments with moderate dust and humidity or cold storage and food processing spaces with ambient temperatures ranging from -40°C to 55°C. Embedded and networked controls allow you to address independent aisle occupancy sensing, daylight harvesting, and zone control.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.



TYPE	FIXTURE	PRODUCT	DESCRIPTION
High Bays		IBG	Configurable LED High Bay for High Mounting Heights by Lithonia Lighting®
		IBE	LED High Bay for General Open Spaces by Lithonia Lighting
		JEBL	Light Duty Round LED High Bay for General Open Spaces and Wet Locations by Lithonia Lighting
		JCBL	LED High Bay for Mixed-Use Spaces by Lithonia Lighting
		JHBL	Heavy Industrial LED High Bay by Lithonia Lighting
		XIB	Medium-Duty Industrial LED High Bay by Lithonia Lighting
Vapor Tights		XVML	Vapor-Tight LED Fixture by Lithonia Lighting
		FEM	Enclosed-and-Gasketed General Purpose Luminaire by Lithonia Lighting
		FHE	Food Processing and Cold Storage Luminaire by Lithonia Lighting

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Strip Lights	 	CDS	Contractor LED Dual Strip Light by Lithonia Lighting
	 	CSS	Contractor LED Single Strip Light by Lithonia Lighting
		CLX	Linear LED Strip Light by Lithonia Lighting
Retrofit		UFITR	LED Retrofit Kit by Lithonia Lighting
		LBK	LED Light Bar Kit by Lithonia Lighting
Skylights		SIG	Signature™ Series Commercial Prismatic Dome Skylights by Sunoptics®
		PY	Pyramid Lens Skylight by Sunoptics
		DHP	Double Hip Lens Skylight by Sunoptics
		GUARD	Sunoptics Skylight Internal Clip-On Safety Guards by Sunoptics
		ESFP Guard	External Skylight Fall-Protection Guard by Sunoptics
		SVT2 Smoke Vent	UL Listed & FM Approved Industrial Smoke Vent by Sunoptics

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Emergency		WLTE	Wet Location Exit Sign by Lithonia Lighting
		WLTC	Wet Location Emergency LED Exit Combination Light by Lithonia Lighting
		IIS Single Phase Central Inverters	Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA®
		IIS3P Three-Phase Central Inverters	4.8kVA to 50kVA Three Phase Inverter Systems by IOTA
		ETS20 DR Emergency Control Device	Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA
		ETS DR Emergency Control Device	Emergency Control Device for 0-10V Dimming Applications by IOTA
		ILBHI CP30 HE SD HV Emergency LED Driver	30 Watt Emergency LED Driver for 347-480 VAC Luminaires with 55-250 VDC Non-Class 2 LED Loads by IOTA
		ILBHI CP20	20 Watt Emergency LED Driver for 347-480 VAC Luminaires with 55-200 VDC Non-Class 2 LED Loads by IOTA
		INDRE	Indura® Industrial LED Wet Location Emergency Remote Light Head by IOTA
		INDL	Indura Industrial LED Wet Location Emergency Light by IOTA






HEAVY DUTY MANUFACTURING







Recommended solutions to address your heavy duty manufacturing lighting needs for environments with extreme dust and humidity, or spaces with potential for harmful contaminants with ambient temperatures ranging from -40°C to 55°C or more. Embedded and networked controls to address independent aisle occupancy sensing, daylight harvesting, and zone control.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.



TYPE	FIXTURE	PRODUCT	DESCRIPTION
High Bays	 	JEHL	Light Duty Round LED High Bay for General Spaces and Wet Locations by Lithonia Lighting®
		JHBL	Heavy Industrial LED High Bay by Lithonia Lighting
		XIB	Medium-Duty Industrial LED High Bay by Lithonia Lighting
Vapor Tights	 	XVML	Vapor-Tight LED Fixture by Lithonia Lighting
		FEM	Enclosed-and-Gasketed General Purpose Luminaire by Lithonia Lighting
		FHE	Food Processing and Cold Storage Luminaire by Lithonia Lighting
Retrofit		UFITR	LED Retrofit Kit by Lithonia Lighting
		LBK	LED Light Bar Kit by Lithonia Lighting

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Skylights		SIG	Signature™ Series Commercial Prismatic Dome Skylights by Sunoptics®
		GUARD	Sunoptics Skylight Internal Clip-On Safety Guards by Sunoptics
		ESFP Guard	External Skylight Fall-Protection Guard by Sunoptics
		SVT2 Smoke Vent	UL Listed & FM Approved Industrial Smoke Vent by Sunoptics
		SVT2CV Smoke Vent	Continuous-Venting UL Listed Industrial Smoke Vent by Sunoptics







TYPE	FIXTURE	PRODUCT	DESCRIPTION
Emergency		LV Series	Extreme® Vandal-Resistant, All-Conditions Exits by Lithonia Lighting
		WLTC	Wet Location Emergency LED Exit Combination Light by Lithonia Lighting
		IIS Single Phase Central Inverters	Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA®
		IIS3P Three-Phase Central Inverters	4.8kVA to 50kVA Three Phase Inverter Systems by IOTA
		ETS20 DR Emergency Control Device	Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA
		ETS DR Emergency Control Device	Emergency Control Device for 0-10V Dimming Applications by IOTA
		ILBHI CP30	30 Watt Emergency LED Driver for 347-480 VAC Luminaires with 55-250 VDC Non-Class 2 LED Loads by IOTA
		ILBHI CP20	20 Watt Emergency LED Driver for 347-480 VAC Luminaires with 55-200 VDC Non-Class 2 LED Loads by IOTA
		EXTLRE	Extreme® Industrial Emergency Remote Light Head by Lithonia Lighting
		EXTL	Extreme® Industrial Emergency Light Lithonia Lighting












EXTERIOR WAREHOUSE

Recommended solutions to address your exterior warehouse lighting needs in applications such as loading docks, parking lots, and walkways. Embedded and networked controls allow you to address schedule or daylight-based control and occupancy sensing.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.



TYPE	FIXTURE	PRODUCT	DESCRIPTION
Building Mount	 	TWS LED	Mini Wall Pack by Lithonia Lighting®
	 	WPX	Wall Pack Luminaires by Lithonia Lighting
		ARC	Visually Comfortable wall-Mounted Luminaire by Lithonia Lighting
		WDGE	Architectural Wall-Mount Luminaire by Lithonia Lighting

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Bollard		RADEAN™	LED Bollard by Lithonia Lighting
Floodlights	 CS	QTE	LED Floodlight to replace low-wattage metal halide floods by Lithonia Lighting
	 CS	TFX	LED Floodlight replace high-wattage metal halide floods by Lithonia Lighting
		HLF	LED Floodlight for applications that require high mounting heights or high levels of illumination by Lithonia Lighting
		DSXF	Configurable LED Floodlight by Lithonia Lighting
		RSXF	LED Floodlight optimized for pole-top floodlighting by Lithonia Lighting
Area and Site		DSX	LED Area Luminaire by Lithonia Lighting
		RSX	Highly Configurable Outdoor Area Lighting Solution by Lithonia Lighting
Emergency		ELMRW	Quantum® LED Adjustable Emergency Wet Location Remote Light Head by Lithonia Lighting
		IIS 125 SM Emergency Inverter	125 Watt Emergency Inverter for Surface Mounting by Lithonia Lighting
		AFF	Affinity® Architectural Outdoor LED Emergency Light by Lithonia Lighting







WAREHOUSE BREAKROOM



















Recommended solutions to address the lighting needs of the common areas of your warehouse such as the breakroom. Embedded and networked controls allow you to address occupancy sensing, manual dimming control, and fan control.











Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.



TYPE	FIXTURE	PRODUCT	DESCRIPTION
Panel	 	CPX	LED Flat Panel by Lithonia Lighting®
	 	CPANL	LED Switchable Lumen Flat Panel by Lithonia Lighting
		EPANL	Fully-Luminous LED Flat Panel by Lithonia Lighting
Troffers	 	GTL	General-Purpose Recessed LED Troffer by Lithonia Lighting
		ENVEX™	High-Performance Recessed Ambient Troffer by Lithonia Lighting

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Downlights		RLD	LED Wet Location 4in and 6in Round Baffle Retrofit Downlight by Lithonia Lighting
		LDN	New Construction Commercial Downlight, Retrofit and Cylinders by Lithonia Lighting
Linear		Lithonia® Linear	8ft and 16ft Suspended Linear Fixture by Lithonia Lighting
		Slot	Recessed or Suspended Linear Luminaire by Mark Architectural Lighting™
		Olessence™	Direct and Indirect Linear Suspended Fixture by Peerless®
		Renna™	Rectilinear LED Suspended Luminaire by Peerless

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Wraparounds		SBL	Configurable LED Wraparound Series by Lithonia Lighting
	 	LBL4	Configurable LED Wraparound Series by Lithonia Lighting
Vapor Tights	 	XVML	Vapor-Tight LED Fixture by Lithonia Lighting
		FEM	Enclosed-and-Gasketed General Purpose Luminaire by Lithonia Lighting
Strip Lights	 	MNSL	LED Strip Light by Lithonia Lighting
	 	CDS	Contractor LED Dual Strip Light by Lithonia Lighting
	 	CSS	Contractor LED Single Strip Light by Lithonia Lighting
		CLX	Linear LED Strip Light by Lithonia Lighting
Retrofit		LDNRV	Commercial Retrofit Downlight by Lithonia Lighting
		UFITR	LED Retrofit Kit by Lithonia Lighting
		LBK	LED Light Bar Kit by Lithonia Lighting
Skylights		SLFT	LightFlex™ Tubular Daylighting System by Sunoptics®
		SLFTL	LightFlex™ Tunable-White LED Suspended-Ceiling System by Sunoptics














TYPE	FIXTURE	PRODUCT	DESCRIPTION
Emergency		EU2L	LED Emergency Light by Lithonia Lighting
		ECC	LED Emergency Combo Light by Lithonia Lighting
		ERE	LED Emergency Remote Light Head by Lithonia Lighting
		EXG and EXR	LED Thermoplastic Exit Sign, Red and Green with Black Housing by Lithonia Lighting
		IIS Single Phase Central Inverters	Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA®
		IIS3P Three-Phase Central Inverters	4.8kVA to 50kVA Three Phase Inverter Systems by IOTA
		ETS20 DR Emergency Control Device	Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA
		ETS DR Emergency Control Device	Emergency Control Device for 0-10V Dimming Applications by IOTA
	 	ILB CP10 Emergency Driver	10 Watt Constant Power LED Emergency Driver by IOTA














WAREHOUSE BATHROOMS











Recommended solutions to address your lighting needs for warehouse bathrooms. Embedded and networked controls allow you to address occupancy sensing, manual dimming, and fan control.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.



TYPE	FIXTURE	PRODUCT	DESCRIPTION
Panel	 	CPX	LED Flat Panel by Lithonia Lighting®
	 	CPANL	LED Switchable Lumen Flat Panel by Lithonia Lighting
		EPANL	Fully-Luminous LED Flat Panel by Lithonia Lighting
Troffers	 	GTL	General-Purpose Recessed LED Troffer by Lithonia Lighting
		ENVEX™	High-Performance Recessed Ambient Troffer by Lithonia Lighting
Downlights/Cylinders	 	JSBC	SlimBasics™ LED Surface Mount Downlight by Juno™
	 	Wafer™	LED Indoor-Outdoor 6-in Housing-Free Recessed Downlight by Lithonia Lighting
		LDN	New Construction Commercial Downlight, Retrofit and Cylinders by Lithonia Lighting

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Linear		Lithonia® Linear	8ft and 16ft Suspended Linear Fixture by Lithonia Lighting
		Slot	Recessed or Suspended Linear Luminaire by Mark Architectural Lighting™
Wraparounds		SBL	Configurable LED Wraparound Series by Lithonia Lighting
		LBL4	Configurable LED Wraparound Series by Lithonia Lighting
Vapor Tights		XVML	Vapor-Tight LED Fixture by Lithonia Lighting
		FEM	Enclosed-and-Gasketed General Purpose Luminaire by Lithonia Lighting
Strip Lights		MNSL	LED Striplight by Lithonia Lighting
		CDS	Contractor LED Dual Strip Light by Lithonia Lighting
		CSS	Contractor LED Single Strip Light by Lithonia Lighting
		CLX	Linear LED Strip Light by Lithonia Lighting
Retrofit		LDNRV	Commercial Retrofit Downlight by Lithonia Lighting
		UFITR	LED Retrofit Kit by Lithonia Lighting
		LBK	LED Light Bar Kit by Lithonia Lighting







TYPE	FIXTURE	PRODUCT	DESCRIPTION
Emergency		EU2L	LED Emergency Light by Lithonia Lighting
		ECC	LED Emergency Combo Light by Lithonia Lighting
		ERE	LED Emergency Remote Light Head by Lithonia Lighting
		EXG and EXR	LED Thermoplastic Exit Sign, Red and Green with Black Housing by Lithonia Lighting
		IIS Single Phase Central Inverters	Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA®
		IIS3P Three-Phase Central Inverters	4.8kVA to 50kVA Three Phase Inverter Systems by IOTA
		ETS20 DR Emergency Control Device	Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA
		ETS DR Emergency Control Device	Emergency Control Device for 0-10V Dimming Applications by IOTA
	 	ILB CP10 Emergency Driver	10 Watt Constant Power LED Emergency Driver by IOTA












WAREHOUSE OFFICE











Recommended lighting solutions to address your warehouse office needs such as open offices, private offices, and conference rooms. Embedded and networked controls allow you to address occupancy sensing or schedule-based control, manual dimming control, plug load control, and daylight harvesting.

Need to grab and go? Look for the Contractor Select™ logo to find our most popular and readily available products stocked at your preferred authorized distributor or retailer.




TYPE	FIXTURE	PRODUCT	DESCRIPTION
Panel	 CS	CPX	LED Flat Panel by Lithonia Lighting®
	 CS	CPANL	LED Switchable Lumen Flat Panel by Lithonia Lighting
		EPANL	Fully-Luminous LED Flat Panel by Lithonia Lighting
Troffers	 CS	GTL	General-Purpose Recessed LED Troffer by Lithonia Lighting
		BLT	Low-Profile Recessed LED Troffer by Lithonia Lighting
		ENVEX™	High-Performance Recessed Ambient Troffer by Lithonia Lighting
		WHSPR Troffer	LED Architectural Troffer by Mark Architectural Lighting™
		Chisel™	LED Architectural Troffer by Mark Architectural Lighting

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Downlights		RLD	LED Wet Location 4in and 6in Round Baffle Retrofit Downlight by Lithonia Lighting
		LDN	New Construction Commercial Downlight, Retrofit and Cylinders by Lithonia Lighting
Linear		Lithonia® Linear	8ft and 16ft Suspended Linear Fixture by Lithonia Lighting
		Slot	Recessed or Suspended Linear Luminaire by Mark Architectural Lighting™
		Olessence™	Direct and Indirect Linear Suspended Fixture by Peerless®
		Renna™	Rectilinear LED Suspended Luminaire by Peerless
Retrofit		LDNRV	Commercial Retrofit Downlight by Lithonia Lighting
		UFITR	LED Retrofit Kit by Lithonia Lighting
		LBK	LED Light Bar Kit by Lithonia Lighting
Skylights		SLFT	LightFlex™ Tubular Daylighting System by Sunoptics®
		SLFTL Tubular Daylighting System	LightFlex Tunable-White LED Suspended-Ceiling System by Sunoptics

TYPE	FIXTURE	PRODUCT	DESCRIPTION
Emergency		LHQM LED	Quantum® LED Exit-Unit Combo by Lithonia Lighting
		LQM	Quantum LED Exit Sign by Lithonia Lighting
		ELM4L	Quantum LED Adjustable Optics 640 Lumens Emergency Light by Lithonia Lighting
		ELMRE	Quantum LED Adjustable Emergency Remote Light Head by Lithonia Lighting
		IIS Single Phase Central Inverters (1.5kVA-16.7kVA)	Single Phase Central Inverters with Standard or Fast Transfer Speed by IOTA®
		IIS3P Three-Phase Central Inverters	4.8kVA to 50kVA Three Phase Inverter Systems by IOTA
		ETS20 DR Emergency Control Device	Emergency Control Device for Multi-Fixture Auxiliary Power Applications with 0-10V Dimming by IOTA
		ETS DR Emergency Control Device	Emergency Control Device for 0-10V Dimming Applications by IOTA
	 	ILB CP10 Emergency Driver	10 Watt Constant Power LED Emergency Driver by IOTA

WAREHOUSE LIGHTING CONTROLS SOLUTIONS



WAREHOUSE LIGHTING CONTROLS SOLUTIONS

Choose nLight® or SensorSwitch for your warehouse lighting control solutions. Scalable lighting controls ranging from standalone to embedded to networked allow you to meet your exact project needs and budget requirements. Wired and wireless options are easy to specify, install and use.

NO LIFT REQUIRED!

The nLight® lighting controls platform makes it simple to specify, design, install, and setup. Choose wired controls that work out-of-the-box or wireless controls with easy configuration using a mobile app. Start up, configure and trouble shoot without a ladder or lift using CLAIRITY™ Pro right from your mobile phone.




DOES YOUR LIGHTING SPEAK HVAC AND INDUSTRIAL?

Gain more from your nLight® control platform with nLight ECLYPSE™. With its BACnet®/IP communication capabilities, it enables seamless integration with third-party systems, HVAC controls and building management systems, to achieve an optimal building solution. Combine with the CIP Gateway, to allow your industrial automation interface to control and monitor your lighting.

ARE YOUR FORKLIFTS UTILIZED EFFICIENTLY?

Leveraging your energy efficient lighting infrastructure, Atrius® real-time location services (RTLS) give warehouse facilities a complete, accurate picture of what's happening inside your buildings — from asset location, pathing and usage, to the activity of the people inside.



Visit our webpages at www.acuitybrands.com/warehouse