

Easyl™

Catalog Number	
Notes	Type

Easyl RBS

Remote Button Station

FEATURES

Easyl remote button stations allow activation of shows, static colors, intensity increase and decrease, and time clock override. Custom engraving is available.

SPECIFICATIONS

FUNCTIONAL

- Engraveable plastic buttons with green status LED.
- Available in 2, 5, 7 or 9 button configurations.
- Colors: Black, white, stainless steel with black buttons
- Works with only one main Easyl station and 2 additional remotes
- 2 dry contact closure inputs on the back of the station.

ELECTRICAL


- Input Voltage: 18 to 24VDC (provided by Easyl link)
- Input Power: 0.05W
- Current: 2mA @ 24Vdc

ENVIRONMENTAL

- Operating Temp: 14 to 105F (-10 to 40C)
- Storage Temp: -14 to 160F (-26 to 71C)
- Relative Humidity: 90% non-condensing


MECHANICAL

- Mounts in a grounded single gang backbox




Easyl Remote Button Station


DIMENSIONS




BUTTON CONFIGURATIONS




EZ RB2



EZ RB5




EZ RB7



EZ RB9

WIRING DIAGRAMS

Always read product installation instructions prior to installation



ORDERING INFORMATION

Choose the boldface catalog nomenclature that best suits your needs and write it on the appropriate line. Order accessories as separate catalog number.

Example: **EZRB2 WC2**

EZ			
Series	Number of buttons	Finish	
RB2	2 Button Station	BJ4	Brushed stainless steel, black frame and buttons
RB5	5 Button Station	BL4	Painted black, black frame and buttons
RB7	7 Button Station	WC2	Painted white, white frame and buttons
RB9	9 Button Station		